

Quick Guide Manual OPCOM[®] care®

Quick Guide CL480D

OPCOM Duck

A personal health scope to check yours and your loved ones ears, nose,eyes, skin and, hair.With its built-in mini 310K Pixels camera in the 6mm head, pictures and videos can be captured for real-time viewing, or video that can be stored in your personal files and forwarded to a medical professional for review and diagnosis. Easy to use on small children and infants or pets....







1.	EndoCam Camera		310K Pixels camera.
2.	Snapshot button		Press button to take a snapshot.Hold button down for 1-2 seconds to start video recording.
3.	Brightness button		 Light intensity of 10 segments When you reach the brightest when the lights will flash Go back from 9 to 0 after the cycle
4.	LED Indicator		
	Non-connection with USB cable Power on :Blinking 45sec. to access into Wi-Fi Mo Sangshot :Blink once Recording:Blinking continually Stop recording :Stop blinking & back to on		
	۲	 Low Ba immed EndoC for 5 so camera button 	attery: Blinking continually and need recharge diately am Camera Head disconnection: Blinks ec, then powers off automatically (After a head connection is normal, press the power and restart again)
		Conne	ction with USB cable
		Fully C	harge (keep charging 1-2 hrs.)
		Chargi	ng
5.	Power ON/OF Button	F	Press 3 second to power ON. Press 1 second to power OFF.
6.	EndoCam Camera Head		Camera and LED light module.
7.	Battery		Location where rechargeable battery is placed into the unit.
8.	USB Cable		Micro USB port at the bottom of the unit.
9.	Charge		Support operating time up to 2.5 hours per each full charge.



Operation

1. Download App

To download mobile application to your Mobile device:

- · Android: Go to Google play download "OPCOM Care" App.
- · iOS: Go to App store download "OPCOM Care" App.

2. Paring Device to Mobile Device :

Power on OPCOM Care unit, and then turn on Wi-Fi on your mobile device.

- Open App, to Menu
- Wi-Fi Pairing, connect to Duck_xxxxxxxx from the Wi-Fi list.

(Option) USB On TO Go (OTG) mode:

- 1. Turn off the power
- Plug micro USB at the bottom of OPCOM Care Unit and plug another head of micro USB into tablet.

3. Live View :

After Wi-Fi connected to OPCOM Care unit, back to Home screen, and live-view display on your Mobile or OPCOM Care System Tablet.

4. P-CAM mode :

OPCOM Care unit in power-off state, connect device's micro-USB to PC USB port, then open PC AP which support UVC, the live-view screen will display on PC. You could also download OPCOM AP from OPCOM website.

5. Remark :

Mobile / Application User's Manual available at: www.opcom.com



For detailed warranty information, Please visit

www.opcom.com

